

## Fuel tank Protection








## **SECURTANK SYSTEM**

Our beacon is equipped with a sensitivity sensor. In the event of an attempt to break into the fuel tank, a 110dB siren sounds instantly and a notification is sent to your smartphone.

The algorithm makes it possible to discriminate between external elements, such as wind, rain etc... while monitoring the tank.





ASSEMBLY WHITHOUT DRILLING AND WIRING

System protected by a patent application

1 Insert the plate under a strap 2 Screw th

2 Screw the case onto the plate

3 Close the box



Plate





CONTROLLER

The Controller allows you to manage 1 or 2 tanks simultaneously.

It gives you their status in real time.





Magnetic mounting bracket



## **O** NOTIFICATIONS IN REAL TIME

The SECURTRUCK app allows you to view the status of each system in detail.



Multi-system



Detailed visualization



Logs













	Controller	Beacon
Power sup-	Battery Li-Po 3,7V 1100mAh	Lithium batterL 3,6V 14Ah
Autonomy	1 week	5 years
Network communica-	Private LoRa Radio 868 MHz	Private LoRa Radio 868 MHz
Notification network	Radio Sigfox 868 MHz	Х
Buzzer	Buzzer	110dB siren
Waterproo-	X	IP68
Size (L x l x h)	84x87x22mm	153x158x88mm
Weight	 70g	800g
Operating temperature	from -40°C to +85°C	

## **REQUEST A TRIAL!**





www.securtruck	۲ <b>۲</b> ۳
www.securtruck	11.2